

AAAI Report 1307 AAAI Project 88018

QUARTERLY NOISE MONITORING AT BOB HOPE AIRPORT FOURTH QUARTER 2005

FEBRUARY 2006

Prepared for:



AAAI Report 1307 AAAI Project 88018

QUARTERLY NOISE MONITORING AT BOB HOPE AIRPORT FOURTH QUARTER 2005

FEBRUARY 2006

Prepared for:

Burbank-Glendale-Pasadena Airport Authority 2627 Hollywood Way Burbank, CA 91505

Prepared by:

Acoustical Analysis Associates, Inc. 950 Enchanted Way, Suite 106 Simi Valley, CA 93065

TABLE OF CONTENTS

Section	<u>Page</u>
1.	INTRODUCTION
II.	NOISE MEASUREMENTS A. Sites B. Noise Measurement Equipment C. Noise Data D. Operational Data
III.	MEASURED NOISE DATA
IV.	SCHEDULED AIRLINE AND AIR TAXI OPERATIONS
V.	CNEL CONTOUR DEVELOPMENT
VI.	INCOMPATIBLE LAND USE 20
REFE	RENCES 21
APPE	NDIX A - NOISE MONITOR INSTRUMENTATION
APPE	NDIX B - CALIBRATION
`	LIST OF TABLES
<u>Table</u>	Page
1.	CNEL VALUES FOR OCTOBER 2005
2.	CNEL VALUES FOR NOVEMBER 2005
3.	CNEL VALUES FOR DECEMBER 2005
4.	AVERAGE CNEL VALUES
5.	WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS

LIST OF FIGURES

<u>Figure</u>	<u>P:</u>	<u>ige</u>
1.	CNEL 70 CONTOUR FOR BOB HOPE AIRPORT - FOURTH QUARTER 2005	2
2.	CNEL 65 CONTOUR FOR BOB HOPE AIRPORT - FOURTH QUARTER 2005	3
3.	NOISE MONITOR LOCATIONS	5

QUARTERLY NOISE MONITORING AT BOB HOPE AIRPORT FOURTH QUARTER 2005


I. INTRODUCTION

In compliance with the California Noise Standards (Reference 1) and the current variance from certain provisions of the Standards (Reference 2), the operator of the Bob Hope Airport is required to perform noise monitoring in the vicinity of the airport for the purpose of establishing a noise impact boundary. The Noise Standards currently specify a community noise equivalent level (CNEL) of 65 dB for the noise impact boundary. The airport is required to provide, each quarter, an updated annual noise impact contour based on measurement data over the four preceding quarters.

A permanent noise monitoring system became operational in April 1980 and, with brief interruption for system expansion, maintenance, and program changes, has been operational since that time. Of the original nine noise monitor sites, eight have remained unchanged since 1980. The monitor at site 8 was removed in 1997 and replaced by a monitor at site 18. Two sites were added east of the airport in late 1980. Four sites were added south of the airport in January 1986 in response to the requirement to determine the 65 dB contour. Three more locations were added in February 1997. Two of these, identified as 16 and 17, are south of the airport, and one, 18, is to the west. The site to the west replaces Site 8. These locations were added to permit monitoring closer to the 65 dB contour. The noise monitoring computer at the airport was replaced in August 1995.

This report describes the data acquired by the monitoring system during the fourth quarter of 2005. Noise impact boundaries for 65 dB and 70 dB are shown based on these measurements and measurements obtained during the first, second and third quarter of 2005 reported in References 3, 4 and 5. Figure 1 shows the 70 dB contour and Figure 2 shows the 65 dB contour, based on the measured noise data.

¹ Prior to January 1, 1986, a CNEL of 70 dB defined the noise impact boundary.



II. NOISE MEASUREMENTS

A. Sites


Aircraft noise levels were monitored at 15 locations prior to February, 1997. Two sites were added in February 1997, and equipment at one site west of the airport was moved to a new location. In July 2003, the monitor station at site 9 was moved 105 feet further west to accommodate new construction at the Fire Station. The noise monitor sites are shown in Figure 3.

B. Noise Measurement Equipment

Each of the microphone locations uses an identical set of equipment connected to a central control unit. The noise level at each site is digitized and transmitted by phone line to the central site. The computer at the central site processes the data to produce (among other measures) the CNEL at each site. Appendix A provides a brief description of the system.

C. Noise Data

Occasional equipment failure and sporadic phone line interruptions caused some loss of noise data during the quarter. Tables 1, 2, and 3 show the aircraft CNEL measured at each monitoring site for each day of the quarter. The dashed lines indicate days for which a monitor was operating for less than 94% of the time. The data for these days were excluded from the averages.



D. Operational Data

Detailed departure and arrival logs are provided by the airlines. Operations of other jet aircraft are determined from air traffic strips provided by the FAA at Bob Hope Tower. In addition, flight schedules and logs of nighttime operations are provided by airport personnel.

III. MÉASURED NOISE DATA

Daily CNEL values for the noise monitoring system are listed in Tables 1, 2, and 3. Table 4 lists the average values for each quarter together with the annual average.

IV. SCHEDULED AIRLINE AND AIR TAXI OPERATIONS

The scheduled air carrier and commuter operations for the quarter are shown in Table 5.

V. CNEL CONTOUR DEVELOPMENT

The contours shown in Figures 1 and 2 are based upon computer-generated "master" contours which are adjusted to reflect the monitoring data. This fourth quarter 2005 used the master contours produced by Version 6.1 of the Integrated Noise Model (INM), a sophisticated aircraft noise modeling program developed for the Federal Aviation Administration. Inputs to the program consist of aircraft types and performance data, flight paths, numbers of operations, and day/evening/night distribution of flights. The program calculates CNEL values at equally spaced grid points and produces CNEL contour lines at 1 dB intervals. The annual average CNEL values at each site were marked at the appropriate locations on the contour map and the locations of the 65 and 70 dB CNEL contours were determined in the vicinity of each measuring point. These points were then joined following the general shape of the computed contours.

The master contours, used in developing the contours for this quarter are based on operations for the 12-month period from January 2002 through December 2002. This replaced the previous master set of CNEL Contours which were based on operations for the 12-month period from January 1998 through December 1998.

TABLE 1. CNEL VALUES FOR OCTOBER 2005

RMS NUMBER

Date	1	2	3	4	. 5	6	7	9	10	11	12	13	14	15	16	17	18
10/01/05	62.0	61.0	62.8	57.0	59.3	60.2	61.4	61.4	51.6	52.4	50.4	57.4	57.9	61.1	62.7	60.2	62.3
10/02/05	63.0	61.4	63.6	60.7	58.9	57.7	61.8	63.8	51.0	49.0	51.3	59.2	58.8	62.0	63.9	61.7	64.9
10/03/05	64.7	62.5	64.0	60.1	60.4	59.2	60.8	62.0	56.6	58.1	52.8	62.0	61.2	62.5	64.3	62.5	63.4
10/04/05	63.0	61.7	64.8	59.4	62.7	60.1	62.3	61.0	56.3	58.1	53.8	60.0	59.0	61.6	64.1		63.3
10/05/05	61.3	57.1	61.3	61.2	62.2	66.5	63.2	57.1	53.7	57.0	51.3	54.7	55.1	57.5	63.3		60.3
10/06/05	61.1	61.1	64.2	60.5	62.9	61.0	63.2	60.5	57.2	60.1	49,2	57.0	58.2	60.6	63.3		61.9
10/07/05	62.9	61.3	63.3	60.6	62.9	59.4	63.6	62.8	55.0	57.8	53.8	59.4	58.2	62.2	63.1	-	63.9
10/08/05	62.7	60.3	61.5	M 40-00	59.7	53.3	58.0	62.8	52.2	52.3	50.7	60.5	57.4	61.2	61.8		65.9
10/09/05	64.2	62.0	64.6	58.3	58.2	54.2	59.5	63.4	55.5	50.8	51.9	61.1	58.9	63.2	64.0		65.2
10/10/05	62.7	61.5	64.2	60.8	63.1	57.4	59.5	.62,2	55.4	55.7	55.1	61.1	58.7	62.1	63.6		63.5
10/11/05					60.8	60.0	62.4	63.8	56.2	55.6	53.5	60.0	59.1	63.2	64.0		66.0
10/12/05					63.5	63.3	63.6	63.5	56.4	57.0	54.0		59.6	63.1	64.3	62.7	65.0
10/13/05	62.5	61.5	65.0	62.3	64.3	61.9	62.0	60.9	55.4	56.3	53.9	57.4	59.2	62.8	64.0	62.4	62.3
10/14/05	61.9	62.0	65.4	59.6	63.0	63.1	62.6	61.6	51.5	56.9	52.4	56.3	59.3	61.4	64.6	60.9	62.9
10/15/05	61.6	59.0	61.3	58.8	57.9	55.4	63.4	62.6	57.5	46.9	51.4	58.8	56.2	61.0	61.1	59.8	62.9
10/16/05	64.0	62.2	65.3	60.2	64.4	59.9	61.8	63.0	52.5	49.2	53.1	60.5	59.6	63.9	64.4	63.3	63.9
10/17/05	65.6	65.0	66.1	61.5	65.0	61.6	61.7	64.7	56.8	56.4	59.1	63.4	61.9	64.2	66.0	63.7	65.9
10/18/05	64.7	64.0	65.9	56.9	61.6	59.7	60.8	64.8	59.6	56.0	56.3	61.5	61.6	63.9	65.8	63.4	66.2
10/19/05	64.4	62.7	64.7	59.1	61.7	63.5	62.6	63.5	53.8	57.3	54.3	62.0	59.9	63.8	65.5	63.4	64.8
10/20/05	64.4	63.3	64.8	59.9	60.6	61.5	63.0	64.2	57.3	54.7	57.2	60.2	60.9	63.4	64.7	62.8	65.1
10/21/05	64.0	63.3	65.5	62.8	64.0	53:9	51.9	64.6	55.9	49.9	54.7	60.5	59.7	63.0	64.7	63.2	65.4
10/22/05	62.2	61.0	62.1	52.0	55.9	55.4	49.4	63.0	47.7	53.5	51.7	57.7	56.2	60.6	62.1	60.5	63.7
10/23/05	63.9	62.2	64.6	54.8	60.2	48.6	54.0	64.5	49.4	45.4	52.9	60.2	59.2	62.6	64.4	62.5	65.1
10/24/05	64.8	62.2	64.5	58.8	64.2	58.9	53.9	63.6	54.1	48.9	54.4	62.6	60.6	63.5	64.2	62.9	64.3
10/25/05	65.4	63.3	65.2	60.0	61.9	63.4	57.9	64.1	55.5	51.7	56.4	63.3	60.2	65.3	64.7	64.6	65.8
10/26/05	65.0	62.4	64.5	62.9	63.0	61.6	58.4	63.5	51.5	54.7	53.8	62.6	60.7	63.8	63.9	63.6	64.8
10/27/05	64.5	62.8	64.2	59.5	61.9	58.4	56.9	64.4	55.0	50.1	54.8	62.6	59.6	63.9	64.2	63.6	65.4
10/28/05	64.3	63.0	64.9	56.9	61.5	60.4	59.3	63.7	58.6	53.6	55.0	61.2	60.5	63.8	64.7	63.6	64.8
10/29/05	62.9	60.8	62.1	58.4	61.5	56.4	57.8	62.4	52.3	53.7	52.8	60.1	57.4	61.9	61.8	61.6	63.0
10/30/05	64.6	62.2	65.1	60.0	65.6	56.1	58.5	62.9	52.8	49.4	54.6	61.2	59.9	63.2	64.6	62.9	64.1
10/31/05	63.2	62.5	64.8	61.8	62.0	58.7	64.4	61.9	59.8	58.6	53.6	59.5	59.7	62.6	63.3	62.2	63.0
AVERAGE	63.7	62.1	64.3	60.0	62.3	60.4	61.1	63.1	55.5	55.2	54.1	60.6	59.4	62.8	64.0	62.7	64.4
NO. DAYS	31	31	31	28	31	31	31	31	31	31	31	30	31	31	31	23	31

TABLE 2. CNEL VALUES FOR NOVEMBER 2005

RMS NUMBER

Date	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	17	18
11/01/05	62.6	61.1	63.4	59.0	62.5	60.3	62.4	61.5	59.7	55.0	54.3	60.3	57.9	624	63.2	62 1	63.6
11/02/05	65.2	62.2	64.0	64.4	62.5	63.7	64.7	63.2	58.8	53.6	54.7	62.5	59.0	63.7	64.0	63.2	64.1
11/03/05	65.7	64.7	65.2	61.0	63.6	62.1	62.7	64.5	57.3	56.2	54.4	63.2	61.4	65.4	64.7	64.5	65.6
11/04/05	65.4	64.7	65.9	64.5	66.0	64.2	66.0	63.4	58.8	57.5	55.3	61.6	62.0	64.3	65.4	63.7	64.5
11/05/05	62.9	60.9	62.0	59.5	61.5	57.2	58.4	60.7	50.9	53.7	54.0	59.0	56.9	61.3	61.9	61.0	62.0
11/06/05	64.4	62.3	64.9	59.3	61.1	57.2	59.5	63.7	51.3	50.6	56.4	64.0	59.5	64.1	64.1	63.5	65.0
11/07/05	65.0	62.5	64.8	61.0	62.3	64.4	59.9	64.9	53.9	52.2	53.5	63.1	59.0	64.5	64.1	64.1	65.6
11/08/05	65.2	62.7	63.6	61.2	61.7	57.6	57.9	64.2	54.7	53.1	55.1	63.4	59.7	63.9	63.5	63.8	65.5
11/09/05					63.1	61.8	59.2	64.6	57.9	57.1	55.4	63.9	59.3	63.7	63.5	63.6	66.0
11/10/05				57.9	61.5	55.7	61.5	64.0	57.9	56.9	55.5	62.4	61.3	64.0	65.7	63.7	65.4
11/11/05					59.1	56.5	60.1	63.8	54.5	54.5	54.5	61.8	60.5	64.3	65.3	64.1	65.2
11/12/05	63.9	60.9	62.9	57.5	60.0	55.6	58.1	60.9	53.6	53.4	55.7	60.3	57.8	62.3	62.3	61.7	62.4
11/13/05	63.2	62.5	65.6	65.3	64.7	57.7	61.0	62.2	53.0	55.5	54.1	59.2	60.3	63.4	65.0	62.7	63.4
11/14/05	63.8	62.3	65.0	61.9	62.0	59.3	61.2	62.5	56.2	55.6	53.6	61.1	60.3	63.3	64.6	62.9	64/
11/15/05	62.8	61.7	63.9	63.7	63.2	59.9	62.3	62.4	55.4	57.8	56.3	61.5	59.8	62.9	63.7	62.4	64.
11/16/05	62.4	61.7	63.5	61.9	63.5	59.2	60.4	62.0	56.8	55.0	52,1	58.7	58.5	61.3	63.3	60.9	63.2
11/17/05	63.8	61.9	64.9	63.9	65.2	61.1	61.8	61.7	58.5	60.1	53.8	59.5	58.7	62.5	63.9	62.3	63.9
11/18/05	65.7	61.5	64.2	66.5	66.5	62.4	64.4	60.3	58.4	56.8	55.6	60.2	58.4	61.9	63.2	61.6	62.3
11/19/05	60.3	59.3	61.1	61.5	61.4	60.9	62.6	59.0	59.0	52.5	52.6	57.2	55.4	59.6	60.3	58.3	61.0
11/20/05	61.8	60.0	62.8	63.2	59.1	57.1	62.0	60.4	57.7	56.3	49.3	57.4	56.5	60.9	62.1	60.2	
11/21/05	62.3	61.7	63.9	58.1	60.2	61.3	62.6	61.2	54.0	50.6	52.4	59.1	58.8	60.9	63.4	60.6	62.7
11/22/05	63.0	62.7	65.2	63.7	64.2	62.7	66.8	62.2	53.2	53.2	56.2	59.7	60.0	63.2	64.6	62.3	64.1
11/23/05	64.4	63.5	66.2	63.8	65.5	63.2	64.2	62.5	57.8	56.7	58.1	58.6	61.7	63.9	65.6	62.8	63.8
11/24/05	60.5	59.1	61.4	60.8	61.9	58.7	58.1	58.8	48.6	45.9	51.3	58.0	55.6	60.3	60.9	60.1	59.4
11/25/05	62.9	61.2	62.8	58.0	60.4	57.8	52.5	63.3	56.1	57.1	54.1	60.7	58.1	62.2	62.4	62.0	64.4
11/26/05	62.1	57.3	60.3	61.2	63.1	65.9	62.6	53.3	49.6	50.9	50.7	56.7	56.4	56.8	65.1	56.4	58.8
11/27/05	60.4	57.4	62.3	59.3	61.3	60.7	60.6	58.8	57.6	40.0	48.3	52.0	56.2	58.4	63.0	56.8	60.6
11/28/05	61.1	60.5	63.5	60.6	63.0	59.9	63.1	61.4	55.7	57.1	54.3	57.2	57.5	61.0	62.5	59.9	62.7
11/29/05	65.5	62.4	64.6	63.4	64.5	63.8	66.5	63.3	60.9	52.5	57.6	64.0	59.8	64.3	64.6	63.9	64.6
11/30/05	64.6	64.1	65.1	64.6	64.5	63.8	64.1	62.9	55.3	55.3	56.3	61.9	61.2	63.6	65.7	62.8	63.9
AVERAGE								62.4	56.7	55.2	54.7	61.0	59.3	62.8	63.9	62.3	63.8
NO. DAYS	30	30	30	28	30	30	30	30	30	30	30	30	30	30	30	30	30

TABLE 3. CNEL VALUES FOR DECEMBER 2005

RMS NUMBER

Date	1	2	3	4	5	6	7	9	10	11	12	13	14	15	16	17	18
			-								······		÷				
12/01/05	65.0	62.8	64.8	62.3	60.7	60.1	60.0	64.3	57.7	58.3	55.6	62.7	60.3	64.5	64.8	64.2	66.5
12/02/05	65.1	64.3	65.6	60.3	61.7	58.6	56.4	66.3	51.0	52.1	54.9	61.8	60.9	64.2	65.4	63.8	65.0
12/03/05	61.7	55.2	57.6	62.3	63.8	67.1	65.9	54.9	43.1	56.7	54.2	52.6	54.0	53.8	62.9	54.2	59.6
12/04/05	59.0	58.6	61.2	62.9	59.5	52.5	57.7	60.5	48.5	48.6	43.1	55.3	55.3	58.5	60.6	57.8	62.2
12/05/05	62.2	60.8	62.4	63.2	64.7	60.2	63.6	60.1	58.7	57.1	49.0	58.8	57.0	61.1	61.8	60.3	62.2
12/06/05	63.3	61.5	65.3	62.7	62.3	58.8	61.9	60.6	54.9	58.6	53.4	60.6	60.1	61.8	66.5	61.4	63.4
12/07/05	63.0	61.8	63.9	62.2	62.7	61.0	62.8	62.1	58.5	59.0	55.9	59.8	59.9	61.6	63.1	60.9	63.4
12/08/05	63.0	62.9	64.7	61.2	63.1	60.9	62.5	61.3	53.1	55.0	54.9	59.5	59.3	63.2	64.2	62.5	63.0
12/09/05	64.2	63.5	65.5	62.8	60.4	61.9	61.5	62.7	53.4	57.7	56.3	60.2	61.3	63.4	65.0	62.8	64.3
12/10/05	61.1	60.0	60.9	58.7	57.3	54.8	59.5	59.2	48.9	56.0	49.2	58.1	55.6	59.4	60.7	59.6	60.6
12/11/05	62.8	61.4	63.4	61.4	65.6	55.9	60.1	62.2	48.3	45.6	51.5	60.4	58.2	61.9	63.1	61.3	63.6
12/12/05	63.7	62.2	64.0	59.2	63.9	58.6	60.6	63.0	51.4	55.4	54.8	61.5	59.6	63.2	63.7	62.6	64.6
12/13/05	65.8	63.8	65.5	64.3	62.5	63.0	64.2	63.5	55.9	57.1	57.3	63.5	61.2	64.7	65.4	64.1	65.7
12/14/05	65.5	64.2	67.0	63.4	63.1	62.6	62.7	64.1	57.1	55.5	56.5	63.1	61.8	65.5	67.3	64.8	65.5
12/15/05	65.5	63.8	65.7	63.2	63.8	61.9	63.1	63.7	54.6	59.1	56.1	63.0	61.0	65.1	65.3	64.9	65.0
12/16/05	65.2	63.8	66.3	60.2	63.7	60.5	60.5	65.6	58.7	57.7	56.5	63.2	61.1	65.3	65.4	64.6	67.0
12/17/05																	
12/18/05	64.1	63.0	65.2	56.4	58.3	54.9	59.1	63.8	50.5	50.2	53.7	61.5	60.4	63.8	65.0	63.4	64.9
12/19/05	63.8	63.0	65.1	58.9	62.1	61.9	64.3	63.0	61.1	57.7	59.1	60.4	60.5	63.0	65.1	62.5	65.1
12/20/05	59.6	57.5	60.9	57.6	59.6	61.7	60.6	56.4	55.4	57.0	51.2	56.9	56.0	60.6	60.3	57.8	59.6
12/21/05	63.7	62.8	64.6	60.3	60.8	60.5	67.9	62.7	56.3	56.1	55.9	60.0	60.1	62.8	64.7	62.4	64.0
12/22/05	64.7	63.1	65.4	62.4	61.2	60.9	63.0	63.9	56.0	57.9	56.6	62.6	60.0	64.3	64.6	63.7	65.9
12/23/05	61.0	60.5	62.1	58.8	58.2	59.5	55.8	60.6	55.0	50.0	52.4	57.3	56.9	60.8	61.9	60.0	61.8
12/24/05	61.1	60.4	63.4	60.7	63.1	57.5	59.4	61.1	54.5	51.9	49.6	57.2	57.6	61.3	62.7	60.8	62.8
12/25/05	61.7	59.2	61.3	53.7	58.7	42.8	45.3	62.7	47.7	43.7	49.8	58.5	56.0	60.5	61.1	59.7	63.8
12/26/05	64.4	62.6	64.8	66.7	66.5	60.6	51.3	63.8	53.5	46.5	54.0	62.4	59.7	63.9	64.3	63.6	64.9
12/27/05	64.3	62.9	65.0	58.3	59.0	63.5	59.0	63.7	58.6	54.1	53.0	61.6	60.1	63.5	64.5	63.0	65.7
12/28/05	64.7	62.7	65.3	62.0	59.2	61.1	60.6	64.4	59.1	58.2	54.6	63.2	59.7	64.1	64.3	63.5	66.2
12/29/05	64.4	62.5	64.4	62.6	62.8	63.2	64.0	63.6	57.3	57.5	54.3	62.9	59.4	64.3	63.9	64.0	65.2
12/30/05	64.3	63.2	65.3	63.0	62.9	61.8	62.3	64.4	54.3	57.2	53.9	61.5	61.0	64.8	64.9	64.4	65.3
12/31/05	62.7	59.8	61.2	62.0	59.3	50.9	50.7	57.8	49.5	49.2	52.4	59.6	56.4	60.3	60.9	60.0	59.9
			•														
AVERAGE	63.6	62.1	64.2	61.6	62.2	60.7	61.7	62.8	55.6	56.0	54.5	60.8	59.4	63.0	64.1	62.4	64.2
NO. DAYS	31	31	31	31	31	31		. 31	31	31	31		₋ 31	31	31	31	31
QTR. AVG.	63.7	62.1	64.3											62.9	64.0	62.5	64.1
NO. DAYS	92	92	92	87	92	92	92	92	92	92	92	91	92	92	92	84	92

TABLE 4. AVERAGE CNEL VALUES

Site No.	1st Quarter 2005	2nd Quarter 2005	3rd Quarter 2005	4th Quarter 2005	4 Quarter Average
		•			
1	65.2	64.4	63.7	63.7	64.3
2	63.0	62.3	62.2	62.1	62.4
3	64.3	64.0	64.1	64.3	64.2
4	63.5	61.4	60.8	61.4	61.9
5	64.1	62.3	61.7	62.5	62.8
6	62.3	61.1	60.4	60.8	61.2
7	61.5	62.3	62.4	61.8	62.0
9	64.0	63.5	63.8	62.8	63.5
10	56.9	54.8	55.6	55.9	55.9
11	55.5	55.5	55.8	55.5	55.6
12	57.0	55.7	54.1	54.4	55,5
13	62.2	61.8	60.7	60.8	61.4
14	60.0	59.4	59.6	59,4	59.6
15	63.6	63.2	62.8	62.9	63.1
16	64.5	64.2	63.9	64.0	64.2
17	63.3	62.9	62.5	62.5	62.8
18	65.0	64.4	64.6	64.1	64.6

Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS FOR THE FOURTH QUARTER 2005

AIRCRAFT DAY EVENING NIGHT TOTAL	AS B73 DEP 1 0 0	DULE IN I B74 ARR 1 0 0 1	AS B73 DEP 14 0 0 14		10/1/05 AS CR. DEP 21 0 7 28	J7 ARR 21 7 0 28	10/1/05 AS MD DEP 7 7 0 14	80 ARR 7 7 0 14	1 DAY AQ B7 DEP 0 0 0	
DAY EVENING NIGHT TOTAL	HP A31 DEP 0 0 0		HP A32 DEP 20 0 7 27		HP B73 DEP 0 0 0		HP B7: DEP 0 0 0		HP CR DEP 5 6 0 11	ARR 5 6 0 11
DAY EVENING NIGHT TOTAL	SCHEE HP CRA DEP 0 0 0	OULE IN I J7 ARR 0 0 0	EFFECT HP CR. DEP 12 0 0 12		10/1/05 AA MD: DEP 21 7 0 28		10/1/05 AA MD DEP 0 0 0		AA ME DEP 0 0 0	983 ARR 0 0 0 0
DAY EVENING NIGHT TOTAL	SCHEE WN B7 DEP 186 31 0 217	OULE IN I 373 ARR 170 47 0 217	EFFECT WN B7 DEP 18 0 0	FROM 375 ARR 18 0 0	10/1/05 WN B7 DEP 113 19 0 132		10/1/05 UA A3 ⁻ DEP 0 0 6 6		UA A3. DEP 0 0 0	20 ARR 0 0 0
DAY EVENING NIGHT TOTAL	SCHEE UA B73 DEP 8 0 0	OULE IN I 873 ARR 1 7 0 8	EFFECT UA B73 DEP 12 0 0	FROM 675 ARR 5 7 0	10/1/05 UA B75 DEP 0 0 0		10/1/05 UA RJ DEP 34 7 0 41	ARR 41 0 0 41	UA CR DEP 7 0 0 7	J7 ARR 7 0 0 7
	UA E12		FE A30		10/1/05 FE A31	0	10/1/05 FE B72	?7Q	UPS A	
DAY EVENING NIGHT TOTAL	0 0 0 0	0 0 0 0 0 ~·	0 4 5 0 9	0 5 0 4 9	DEP 0 0 0 0	ARR 0 0 0 0	DEP 0 0 0 0	ARR 0 0 0 0	DEP 0 5 0 5	ARR 5 0 0 5
DAY EVENING NIGHT TOTAL	SCHEDUPS BY DEP 0 0 0 0 0 0	OULE IN 1 757 ARR 0 0 0 0	EFFECT DL B75 DEP 7 0 0	FROM 2 ARR 0 7 0 7	10/1/05 DL CR. DEP 21 0 7 28		10/1/05 B6 A32 DEP 21 7 0 28		TOTAI DEP 532 94 27 653	-S ARR 466 183 4 653

Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS FOR THE FOURTH QUARTER 2005

AIRCRAFT DAY EVENING NIGHT TOTAL	SCHEI AS B7 DEP 1 0 0	DULE IN 1 374 ARR 1 0 0	EFFECT AS B7: DEP 14 0 0 14		10/2/0 AS CF DEP 21 0 7 28		10/29/ AS MI DEP 7 7 0 14	28 D/ AQ B7 DEP 0 0 0	
DAY EVENING NIGHT TOTAL	SCHEI HP A3 DEP 0 0 0	DULE IN 1 19 ARR 0 0 0 0	EFFECT HP A3: DEP 20 0 7 27	FROM 20 ARR 20 7 0 27	10/2/0 HP B7 DEP 0 0 0		10/29/ HP B7 DEP 0 0 0 0	HP CF DEP 5 6 0	ARR 5 6 0
DAY EVENING NIGHT TOTAL	SCHEI HP CR DEP 0 0 0	OULE IN I J7 ARR 0 0 0 0	EFFECT HP CR DEP 12 0 0 12	FROM J9 ARR 12 0 0 12	10/2/09 AA ME DEP 21 7 0 28		10/29/ AA ME DEP 0 0 0 0	AA MI DEP 0 0 0	083 ARR 0 0 0 0
DAY EVENING NIGHT TOTAL	SCHER WN B7 DEP 186 31 0 217	OULE IN I 7373 ARR 170 47 0 217	EFFECT WN 87 DEP 18 0 0 18		10/2/08 WN B7 DEP 120 26 0 146	7377	10/29/ UA A3 DEP 0 0 6 6	UA A3 DEP 0 0 0	220 ARR 0 0 0 0
DAY EVENING NIGHT TOTAL	SCHEI UA B7: DEP 8 0 0	OULE IN 1 373 ARR 1 7 0 8	EFFECT UA B73 DEP 12 0 0 12	FROM 375 ARR 5 7 0	10/2/05 UA B75 DEP 0 0 0		10/29/ UA RJ DEP 34 7 0 41	UA CF DEP 7 0 0	ARR 7 0 0 7
DAY EVENING NIGHT TOTAL	SCHEI UA E1: 0 0 0 0 0	OULE IN 1 20 0 0 0 0 0	EFFECT FE A30 0 4 5 0 9	FROM 00 5 0 4 9	10/2/05 FE A3 ² DEP 0 0 0		10/29/ FE B7: DEP 0 0 0	UPS A DEP 0 5 0	A300 ARR 5 0 0 5
DAY EVENING NIGHT TOTAL	SCHEI UPS B DEP 0 0 0	OULE IN I 757 ARR 0 0 0 0	EFFECT DL B75 DEP 7 0 0 7	FROM	10/2/05 DL CR DEP 21 0 7 28		10/29/ B6 A3: DEP 21 7 0 28	TOTA DEP 539 101 27 667	LS ARR 473 190 4 667

Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS FOR THE FOURTH QUARTER 2005

AIRCRAFT	SCHEDULE IN EFFECT FRO AS B7374 AS B7377				10/30/ AS CF	05 to	10/30/		1 DAYS AQ B7377		
AINCNAFI	DEP	ARR	DEP	ARR	DEP	ARR	AS ME DEP	ARR	DEP	ARR	
DAY	1	1	0	0	21	21	28	21	0	0	
EVENING	0	0	0	0	0	7	0	7	0	0	
NIGHT	0	0	0	0	7	0	0	0	0	0	
TOTAL	1	1	0	0	28	28	28	28	0	0	
	SCHE	DULE IN	EFFECT	FROM	10/30/		10/30/	05			
	HP A3		HP A3		HP B7		HP B7		HP CF		
D.4.	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	
DAY EVENING	0 0	0 0	14 0	14 0	0 0	0	12	12	14	14	
NIGHT	0	0	0	0	0	0 0	0 7	7 0	6 0	6 0	
TOTAL	ŏ	ŏ	14	14	ŏ	ŏ	19	19	20	20	
	001177									,	
1	HP CR	DULE IN	HP CF		10/30/ AA MI		10/30/ AA ME		AA ME	102	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	
DAY	0	0	1	1	28	14	0	0	0	0	
EVENING	0	0	1	1	0	14	0	Ó	Ó	Ō	
NIGHT	0	0	0	0	0	0	0	0	0	0	
TOTAL	0	0	2	2	28	28	0	0	0	0	
	SCHE	DULE IN	EFFECT	FROM	10/30/	05 to	10/30/	05			
	WN B7		WN B	7375	WN B		UA A3		UA A3	20	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	
DAY	186	170	18	18	120	99	0	0	0	0	
EVENING NIGHT	31 0	47 0	0 0	0 0	26	47	0	6	0	0	
TOTAL	217	217	18	18	0 146	0 146	6 6	0 6	0	0 0	
				10	1.10	1-10	Ū	·	Ū	Ū	
		DULE IN			10/30/		10/30/				
	UA B7		UA B7		UA B7		UA RJ		UA CF		
DAY	DEP 8	ARR 1	DEP 12	ARR 5	DEP 0	ARR 0	DEP 34	ARR 41	DEP 7	ARR	
EVENING	ŏ	7	0	7	ŏ	ŏ	7	0	ó	7 0	
NIGHT	Ŏ	Ô	ŏ	Ö	ŏ	ŏ	Ó	ŏ	ŏ	ŏ	
TOTAL	8	. 8	12	12	0	0	41	41	7	7	
	SCHE	DULE IN	FEFECT	FROM	10/30/	ns to	10/30/	05			
	UA E1		FE A3		FE A3		FE B7		UPS A	300	
	0	0	0	0	DEP	ARR	DEP	ARR	DEP	ARR	
DAY	0	0	4	5	0	0	0	0	0	5	
EVENING	0	0	5	0	0	0	0	0	5	0	
NIGHT	0	0	0	4	0	0	0	0	0	0	
TOTAL	0	0	9	9	0	0	0	0	5	5	
		DULE IN			10/30/	05 to	10/30/	05			
	UPS E		DL B7		DL CF		B6 A3		TOTA	LS	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	
DAY	0	0	7	0	21	21	21	14	557	484	
EVENING	0	0	0	7	0	7	7	14	88	184	
NIGHT	0	0	0	0	7	0	0	0	27	4	
TOTAL	0	0	7	7	28	28	28	28	672	672	

Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS FOR THE FOURTH QUARTER 2005

AIRCRAFT DAY EVENING NIGHT TOTAL	SCHEDULE II AS B7374 DEP ARR 1 1 0 0 0 0	AS B73 DEP 0 0 0 0 0	FROM 77 ARR 0 0 0 0	10/31/ AS CF DEP 21 0 7 28		10/31/ AS ME DEP 28 0 0 28	1 DAY AQ B7 DEP 0 0 0	
DAY EVENING NIGHT TOTAL	SCHEDULE IN HP A319 DEP ARR 0 0 0 0 0 0	VEFFECT HP A32 DEP 14 0 0 14	FROM 00 ARR 14 0 0 14	10/31/ HP B7 DEP 0 0 0		10/31/ HP B7 DEP 12 0 7	HP CR DEP 14 6 0 20	ARR 14 6 0 20
DAY EVENING NIGHT TOTAL	SCHEDULE IN HP CRJ7 DEP ARR 0 0 0 0 0 0	I EFFECT HP CR. DEP 1 1 0 2	FROM J9 ARR 1 1 2	10/31// AA ME DEP 28 0 0 28		10/31/ AA ME DEP 0 0 0 0	AA MD DEP 0 0 0	083 ARR 0 0 0 0
DAY EVENING NIGHT TOTAL	SCHEDULE IN WN B7373 DEP ARR 186 170 31 47 0 0 217 217	VEFFECT WN B73 DEP 18 0 0 18	FROM 375 ARR 18 0 0	10/31/0 WN B7 DEP 120 26 0 146		10/31/0 UA A3 DEP 1 0 0	UA A3: DEP 0 0 0	20 ARR 0 0 0 0
DAY EVENING NIGHT TOTAL	SCHEDULE IN UA B7373 DEP ARR 13 13 0 6 6 0 19 19	I EFFECT UA B73 DEP 6 0 0 6	FROM 75 ARR 0 6 0	10/31/0 UA B7: DEP 0 0 0	05 to 57 ARR 0 0 0 0	10/31/0 UA RJ DEP 28 0 0 28	UA CR DEP 13 7 0 20	J7 ARR 20 0 0 20
DAY EVENING NIGHT TOTAL	SCHEDULE IN UA E120 0 0 0 0 0 0 0 0 0 0	FE A300 0 4 5 0 9	FROM 0 0 5 0 4 9	10/31/0 FE A3 ² DEP 0 0 0	05 to 10 ARR 0 0 0 0	10/31/0 FE B72 DEP 0 0 0 0	UPS A DEP 0 5 0 5	300 ARR 5 0 0
DAY EVENING NIGHT TOTAL	SCHEDULE IN UPS B757 DEP ARR 0 0 0 0 0 0	I EFFECT DL B75: DEP 7 0 0 7	FROM 2 ARR 0 7 0 7	10/31/0 DL CR DEP 21 0 7 28		10/31/0 B6 A32 DEP 21 7 0 28	TOTAL DEP 557 88 27 672	-S ARR 491 177 4 672

Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS FOR THE FOURTH QUARTER 2005

AIRCRAFT DAY EVENING NIGHT TOTAL	SCHEDULE IN AS B7374 DEP ARR 1 1 0 0 0 0	EFFECT FROM AS B7377 DEP ARR 0 0 0 0 0 0	11/1/05 to AS CRJ7 DEP ARR 21 21 0 7 7 0 28 28	11/13/05 AS MD80 DEP ARR 28 21 0 7 0 0 28 28	13 DAYS AQ B7377 DEP ARR 0 0 0 0 0 0
DAY EVENING NIGHT TOTAL	SCHEDULE IN HP A319 DEP ARR 0 0 0 0 0 0	EFFECT FROM HP A320 DEP ARR 14 14 0 0 0 0	11/1/05 to HP B7372 DEP ARR 0 0 0 0 0 0	11/13/05 HP B7373 DEP ARR 12 12 0 7 7 0 19 19	HP CRJ DEP ARR 14 14 6 6 0 0 20 20
DAY EVENING NIGHT TOTAL	SCHEDULE IN HP CRJ7 DEP ARR 0 0 0 0 0 0	EFFECT FROM HP CRJ9 DEP ARR 1 1 1 1 0 0 2 2 2	11/1/05 to AA MD80 DEP ARR 28 14 0 14 0 0 28 28	11/13/05 AA MD82 DEP ARR 0 0 0 0 0 0	AA MD83 DEP ARR 0 0 0 0 0 0 0 0
DAY EVENING NIGHT TOTAL	SCHEDULE IN WN B7373 DEP ARR 186 170 31 47 0 0 217 217	EFFECT FROM WN B7375 DEP ARR 18 18 0 0 0 0 18 18	11/1/05 to WN B7377 DEP ARR 120 99 26 47 0 0 146 146	11/13/05 UA A319 DEP ARR 1 0 0 1 0 0	UA A320 DEP ARR 0 0 0 0 0 0
DAY EVENING NIGHT TOTAL	SCHEDULE IN UA B7373 DEP ARR 13 13 0 6 6 0 19 19	EFFECT FROM UA B7375 DEP ARR 6 0 0 6 0 6	11/1/05 to UA B757 DEP ARR 0 0 0 0 0 0	11/13/05 UA RJ DEP ARR 28 28 0 0 0 0 28 28	UA CRJ7 DEP ARR 13 20 7 0 0 0 20 20
DAY EVENING NIGHT TOTAL	SCHEDULE IN UA E120 0 0 0 0 0 0 0 0 0 0	EFFECT FROM FE A300 0 0 4 5 5 0 0 4 9 9	11/1/05 to FE A310 DEP ARR 0 0 0 0 0 0	11/13/05 FE B727Q DEP ARR 0 0 0 0 0 0	UPS A300 DEP ARR 0 5 5 0 0 0 5 5
DAY EVENING NIGHT TOTAL	SCHEDULE IN UPS B757 DEP ARR 0 0 0 0 0 0		11/1/05 to DL CRJ DEP ARR 19 19 0 7 7 0 26 26	11/13/05 B6 A320 DEP ARR 21 14 7 14 0 0 28 28	TOTALS DEP ARR 555 489 88 177 27 4 670 670

Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS FOR THE FOURTH QUARTER 2005

AIRCRAFT	SCHED AS B73 DEP	OULE IN E 174 ARR	EFFECT AS B73 DEP	FROM 877 ARR	11/14/0 AS CR DEP		11/30/0 AS ME DEP		17 DA AQ B7 DEP	
DAY	1	1	0	0	21	21	28	21	0	0
EVENING	ò	ò	ŏ	Ŏ	ō.	7	ō	7	ő	ő
NIGHT	Ŏ	Õ	Õ	Ŏ	7	ò	ŏ	ò	ŏ	Ö
TOTAL	1	1	Õ	Õ	28	28	28	28	. 0	ŏ
	•	•	•	•			2.0	20	•	U
•	SCHEE	ULE IN E	EFFECT	FROM	11/14/0	05 to	11/30/0	05		
	HP A31	9	HP A32		HP B7		HP B7		HP CF	₹J
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	. 14	14	0	0	12	12	8	8
EVENING	0	0	0	0	0	0	0	7	6	6
NIGHT	0	0	0	0	0	0	7	0	0	0
TOTAL	0	0	14	14	0	0	19	19	14	14
							٠			
		ULE IN E		FROM	11/14/0		11/30/0			
	HP CR		HP CR		AA MD		AA MD		AA ME	
DAV	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	0	0	8	8	28	14	0	0	0	0
EVENING	0	0	1	1	0	14	0	0	0	0
NIGHT	0	0	0 9	0	0 .	0	0	0	0	0
TOTAL	0	0	9	9	28	28	0	0	0	0
	SCHEL	ULE IN E	FEEECT	FROM	11/14/0)E 40	44/20/	\G		
	WN B7		WN B7		WN B7		11/30/0 UA A3)O	IIA AO	00
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	UA A3 DEP	
DAY	186	170	18	18	120	99	1		0	ARR
EVENING	31	47	Ö	0	26	47	ó	0 1	Ö	0
NIGHT	0	0	ŏ	Ö	0	0	Ö	Ó	Ö	0
TOTAL	217	217	18	18	146	146	1	1	0.	0
			••		110		•	ī	U	v
	SCHEE	ULE IN E		FROM	11/14/0)5 to	11/30/0)5		
•	UA B73	73	UA B73	75	UA B7	57	UA RJ	_	UA CR	tJ7
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR	DEP	ARR
DAY	13	13	6	0	0.	0	28	28	13	20
EVENING	0	6	0	6	0	0	0	0	7	0
NIGHT	6	0	0	0	0	0	0	0	0	0
TOTAL	¹ 9	19	6	6	0	0	28	28	20	20
	COLLEG	N. 11 (A) F		50014	4.4.4.4.4			_		
	UA E12	OULE IN E	FE A30	FROM	11/14/0		11/30/0		Limo A	000
	0 6 6 12	0	0 0	0	FE A31 DEP		FE B72		UPS A	
DAY	ŏ	0	4	5	_	ARR	DEP	ARR	DEP	ARR
EVENING	ŏ	Ö	5	0	0	0	0	0	0	5
NIGHT	ŏ	Ŏ	0	4	Ö	0 0	0	0	5	0
TOTAL	Ŏ	ŏ	9	9	ŏ	Ö	0 0	0 0	0 5	0 5
101/12	U	v	J	V	٠	U	U	U	5	ə
	SCHEE	ULE IN E	EFFECT	FROM	11/14/0)5 to	11/30/0	15		
	UPS B		DL B75		DL CR		B6 A32		TOTAL	
	DEP	ARR	DEP	ARR	DEP	ARR	DEP	.u ARR	DEP	ARR
DAY	0	0	7 .	0	19	19	21	14	556	490
EVENING	ŏ	Ö	o i	7	0	7	7	14	88	490 177
NIGHT	Ö	0	Ö	ó	7	ó	ó	0	27	
TOTAL	0	Ö	7	7	26	26				4
IOIAL	v	V			۷.	20	28	28	671	671

Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS FOR THE FOURTH QUARTER 2005

AIRCRAFT DAY EVENING NIGHT TOTAL	SCHEDULE IN AS B7374 DEP ARR 1 1 0 0 0 0	EFFECT FROM	12/1/05 to AS CRJ7 DEP ARR 21 21 0 7 7 0 28 28	12/14/05 AS MD80 DEP ARR 28 21 0 7 0 0 28 28	14 DAYS AQ B7377 DEP ARR 0 0 0 0 0 0
DAY EVENING NIGHT TOTAL	SCHEDULE IN HP A319 DEP ARR 0 0 0 0 0 0	EFFECT FROM HP A320 DEP ARR 14 14 0 0 0 0 14 14	12/1/05 to HP B7372 DEP ARR 0 0 0 0 0 0	12/14/05 HP B7373 DEP ARR 12 12 0 7 7 0 19 19	HP CRJ DEP ARR 8 8 6 6 0 0
DAY EVENING NIGHT TOTAL	SCHEDULE IN HP CRJ7 DEP ARR 0 0 0 0 0 0	EFFECT FROM HP CRJ9 DEP ARR 8 8 1 1 0 0 9 9	12/1/05 to AA MD80 DEP ARR 28 14 0 14 0 0 28 28	12/14/05 AA MD82 DEP ARR 0 0 0 0 0 0	AA MD83 DEP ARR 0 0 0 0 0 0
DAY EVENING NIGHT TOTAL	SCHEDULE IN WN B7373 DEP ARR 186 170 31 47 0 0 217 217	EFFECT FROM WN B7375 DEP ARR 18 18 0 0 0 0 18 18	12/1/05 to WN B7377 DEP ARR 120 99 26 47 0 0 146 146	12/14/05 UA A319 DEP ARR 1 0 0 1 0 0	UA A320 DEP ARR 0 0 0 0 0 0 0 0
DAY EVENING NIGHT TOTAL	SCHEDULE IN UA B7373 DEP ARR 13 13 0 6 6 0 19 19	EFFECT FROM UA 87375 DEP ARR 6 0 0 6 0 6	12/1/05 to UA B757 DEP ARR 0 0 0 0 0 0 0 0	12/14/05 UA RJ DEP ARR 28 28 0 0 0 0 28 28	UA CRJ7 DEP ARR 13 20 7 0 0 0 20 20
DAY EVENING NIGHT TOTAL	SCHEDULE IN UA E120 0 0 0 0 0 0 0 0 0 0	EFFECT FROM FE A300 0 0 4 5 5 0 0 4 9 9	12/1/05 to FE A310 DEP ARR 0 0 0 0 0 0	12/14/05 FE B727Q DEP ARR 0 0 0 0 0 0	UPS A300 DEP ARR 0 5 5 0 0 0 5 5
DAY EVENING NIGHT TOTAL	SCHEDULE IN UPS B757 DEP ARR 0 0 0 0 0 0	EFFECT FROM DL B752 DEP ARR 7 0 0 7 0 0 7 7 7 7	12/1/05 to DL CRJ DEP ARR 17 17 0 7 7 0 24 24	12/14/05 B6 A320 DEP ARR 21 14 7 14 0 0 28 28	TOTALS DEP ARR 554 488 88 177 27 4 669 669

Table 5. WEEKLY SCHEDULED AIR CARRIER AND AIR TAXI FLIGHTS FOR THE FOURTH QUARTER 2005

AIRCRAFT DAY EVENING NIGHT TOTAL	SCHEDULE IN AS B7374 DEP ARR 1 1 0 0 0 0 1 1	EFFECT FF AS B7377 DEP AF 0 0 0 0 0 0	AS C	5/05 to :RJ7 ARR 21 7 0 28	12/31/ AS ME DEP 28 0 0		17 DA AQ B7: DEP 0 0 0	
DAY EVENING NIGHT TOTAL	SCHEDULE IN HP A319 DEP ARR 0 0 0 0 0 0	EFFECT FF HP A320 DEP AF 14 14 0 0 0 0 14 14	HP B RR DEP 0 0 0	5/05 to 7372 ARR 0 0 0	12/31/4 HP B7 DEP 12 0 7 19		HP CR DEP 8 6 0 14	J ARR 8 6 0 14
DAY EVENING NIGHT TOTAL	SCHEDULE IN HP CRJ7 DEP ARR 0 0 0 0 0 0	EFFECT FF HP CRJ9 DEP AF 8 8 8 1 1 1 0 0 9 9	AA M	5/05 to ID80 ARR 7 14 0 21	12/31/(AA MD DEP 0 0 0		AA MD DEP 0 0 0	983 ARR 0 0 0 0
DAY EVENING NIGHT TOTAL	SCHEDULE IN WN B7373 DEP ARR 186 170 31 47 0 0 217 217	EFFECT FR WN B7375 DEP AF 18 18 0 0 0 0	, WN E	5/05 to 37377 ARR 99 47 0 146	12/31/0 UA A3 DEP 1 0 0		UA A32 DEP 0 0 0	20 ARR 0 0 0 0
DAY EVENING NIGHT TOTAL	SCHEDULE IN UA B7373 DEP ARR 13 13 0 6 6 0 19 19	EFFECT FR UA B7375 DEP AF 6 0 0 6 0 0	UA B	5/05 to 757 ARR 0 0 0	12/31/0 UA RJ DEP 28 0 0 28	ARR 28 0 0 28	UA CR. DEP 13 7 0 20	J7 ARR 20 0 0 20
DAY EVENING NIGHT TOTAL	SCHEDULE IN UA E120 0 0 0 0 0 0 0 0	EFFECT FR FE A300 0 0 4 5 5 0 0 4 9 9	OM 12/15 FE A DEP 0 0 0 0	6/05 to 310 ARR 0 0 0	12/31/0 FE B72 DEP 0 0 0		UPS AS DEP 0 5 0 5	300 ARR 5 0 0 5
DAY EVENING NIGHT TOTAL	SCHEDULE IN UPS B757 DEP ARR 0 0 0 0 0 0 0 0	EFFECT FR DL B752 DEP AR 7 0 0 7 0 7 7	DL C	6/05 to RJ ARR 17 7 0 24	12/31/0 B6 A32 DEP 21 7 0 28		TOTAL DEP 547 88 27 662	ARR 481 177 4 662

TABLE 5. (CONTINUED)

FOURTH QUARTER 2005

PERIOD TOTALS FOR AIR CARRIERS AND AIR TAXIS

AIR CARRIERS

•	<u>DEP</u>	<u>ARR</u>
DAY	5932	4971
EVE	1029	2108
NIGHT	171	53
TOTAL	7132	7132

AIR TAXIS

	<u>DEP</u>	<u>ARR</u>	
DAY	1277	1369	
EVE	180	272	
NIGHT	184	0	
TOTAL	1641	1641	-

AIR CARRIERS AND AIR TAXIS

	<u>DEP</u>	<u>ARR</u>
DAY	7209	6340
EVE	1209	2380
NIGHT	355	53
TOTAL	8773	8773

VI. INCOMPATIBLE LAND USE

The contours shown in Figures 1 and 2 were digitized and overlaid on a digital land use map of the area around the Airport. The total areas enclosed by the 65 and 70 dB CNEL contours were 1,054.8 and 436.3 acres, respectively. The areas of incompatible land uses enclosed by the contours were then computed. The incompatible land use areas were 89.29 acres within the 65 dB contour of which 4.60 acres were also within the 70 dB contour.

It should be noted that the above incompatible land areas do not include the soundproofed schools in the vicinity of the Airport (the Luther Burbank Middle School, St. Patrick and Glenwood Schools). The above incompatible land use areas also do not include those residences to which the Airport has acquired avigation easements. Within the 65 dB contour, the Airport has acquired avigation easements, through its ongoing residential sound insulation program, to 773 parcels of land. Those 773 parcels total 113.58 acres. Forty of the 773 parcels, totaling 5.60 acres, are also located within the 70 dB contour. Within the 65 dB contour, the Airport has also acquired avigation easements, under the Court of Appeal decision in Baker v. Burbank-Glendale-Pasadena Airport Authority, 220 Cal. App. 3d 1602 (1990), to 56 parcels of land. For 43 of the 56 parcels, the Authority has acquired avigation easements both through Baker and through its ongoing sound insulation program. Those 43 parcels are included in the total number of sound insulation program avigation easements set forth above. The 13 remaining Baker easement parcels total 1.93 acres. Four of those parcels, totaling 0.56 acres, are located within the 70 dB contour.

It should be noted that the Airport Authority has made repeated attempts over the past several years to acoustically treat and obtain avigation easements at 121 residential parcels, totaling approximately 16.0 acres of the incompatible land use area within the 65 dB contour. Owners of these parcels have either refused to respond to notices regarding the sound insulation program, have withdrawn from the program, or own properties with major building code deficiencies that prevent them from participating.

The estimated numbers of incompatible residences are 910 within the 65 dB contour, and 31 within the 70 dB contour. The estimated numbers of people residing within the 65 and 70 dB CNEL contours are 2,457 and 84, respectively.

REFERENCES

- California Department of Transportation, Division of Aeronautics, "Noise
 Standards", California Code of Regulations, Title 21, Chapter 2.5, Subchapter 6.
- 2. L-30488, Department of Transportation, State of California, 27 June 1984.
- "Quarterly Noise Monitoring at Burbank Airport, First Quarter 2005",
 AAAI Report 1304.
- "Quarterly Noise Monitoring at Bob Hope Airport, Second Quarter 2005",
 AAAI Report 1305.
- "Quarterly Noise Monitoring at Burbank Airport, Third Quarter 2005",
 AAAI Report 1306.

APPENDIX A NOISE MONITOR INSTRUMENTATION

APPENDIX A NOISE MONITOR INSTRUMENTATION

The permanent noise monitor system, manufactured by Tracor, consists of 17 remote monitoring stations (RMS) connected to a central site by telephone lines. The system block diagram showing the major elements is shown in Figure A-1. The electrical signal generated by the microphone/preamplifier assembly at each site is processed in the RMS electronics. The signal is passed through an A-weighting filter and is then detected and converted to a digital level signal in decibels with a resolution of 0.1 dB.

The digitized sound level is transmitted every half second by telephone line to the central site. The data received by the central site are processed by the computer. According to preset parameters, the noise is separated into two categories--aircraft noise and community noise. Each event attributed to an aircraft is saved in a noise event file. Computations are made of hourly noise level, community noise equivalent level, runway use, and other parameters. A wide variety of data presentations is available by exercising a number of routines provided by Tracor, as well as special-purpose routines that can be generated by the user.

The locations of the remote sites (shown in Figure 3) are listed relative to the runway thresholds in Table A-1.




FIGURE A-1. PERMANENT NOISE MONITOR SYSTEM BLOCK DIAGRAM

TABLE A-1
NOISE MONITOR SITE LOCATIONS

	Distance From	Distance From
Site No.	N. End of RW 15	Extended Centerline
1	8590	-1490
2	10830	1590
3	13440	-1090
4	-150	1200
5	-810	1100
6	-3280	-740
7	-4720	-50
12	7520	-3320
13	10660	-3600
14	12780	1160
15	13380	-3920
16	11600	360
17	12900	-3520

Note: Positive distances from the runway threshold are to the south; positive distances from the extended centerline are to the east.

	Distance From	Distance From
<u>Site No.</u>	W. End of RW 8	Extended Centerline
9	-8805	225
10	8180	-880
11	8740	-110
18	-5880	-440

Note: Positive distances from the runway threshold are to the east; positive distances from the extended centerline are to the north.

APPENDIX B CALIBRATION

APPENDIX B CALIBRATION

The system was calibrated during setup using a Bruel and Kjaer pistonphone. Acoustic calibrations are being performed approximately every six months. Electrical calibrations are performed automatically shortly after midnight each day. Figure B-1 shows the latest calibration certificate of the pistonphone employed in the acoustic calibrations and Figure B-2 shows a typical electrical calibration.

generative con experiment de construente este des construente de la construente de la construente de la construente

Odin Metrology, Inc.

Calibration of Brüel & Kjær Instruments

Certificate: 13164-3 4228 Rev 15 DEC, 2004

Certificate of Calibration For Brüel & Kjær Pistonphone

MEASUREMENT STANDARDS

This calibration is performed by comparison with Measurement Standard Pistonphones:

Type Calibrated by Cal Interval 4220 TS (Grow & Kjeer) 12 months Serial Number Due Date 1048473 02 AUG 2005

Type Calibrated by Cal Interval 4220 TS (Brow & Igaar) 12 Months Serial Number Due Date 1048795 02 AUG 2005

a) Estimated uncertainty of comparison:

± 0.04 dB at 99% confidence level.
 b) Estimated uncertainty of Calibration Service Standard Pistonphone:

± 0,09 dB at 99% confidence level.

Absolute uncertainty:
 Sq. Root (a²+b²) = 0.10 dB at 95% confidence level.

If the Ambient Pressure P_a deviates from the above stated nominal value, 1013 mbar, a correction ΔSPL should be added to the calibrated Sound Pressure Level

 Δ SPL = 20 x log₁₀, P_a (hPa)/1013

This acoustic calibrator has been calibrated using standards with values traceable to the National institute of Standards and Technology.

The calibration of this acoustic calibrator was accomplished using a test system that conforms to the requirements of ANSI/NCSL Z540-1(also covering MIL STD 45662A), ISO Guide 25 and the guidelines of ISO 10012-1, ISO 17025, and ISO 9001:2000 Certification NQA No. 11252

Calibration performed by Havel France

Harold Lynch, Service Manager

Calibrator Type 4228
Serial Number 2245246
Submitted by Acoustical Analysis
Purchase Order Number Verbal
Asset Number N/A

This calibrator has been found to perform within manufacturer's specifications of the Sound Pressure Level produced in the coupler terminated by a loading volume of 1,333 cm³ at 1013 mbar, 20℃, and 65% RH to be 124.0 dB ± 0.15dB at a frequency of 251.2 Hz ± 0.1% and a second harmonic distortion of <3%.

This calibration is traceable to: NIST Test Number 822/268655-03, D1192.

Condition of Test:	· · · · · · · · · · · · · · · · · · ·	
Amblent Pressure	986.70	HPa
Temperature	23	°C
Relative Humidity	39	%
Date of Calibration	28 MAR 2005	
Re-calibration due on	28 MAR 2006	

PERFORMANC	E AS REC	EIVED:
SPL	124.05	dB re 20 µPa
Frequency	251.16	Hz
Distortion	0.6	%
HF Noise	-52	dB re 124 dB
Ballery Voltage	8.2	VOLT

Was repair or adjustment performed? Not Were parts replaced? Not Were batterles replaced? Yes

FINAL PERFO	DRMANCE:		_
SPL	124.05	dB re 20 µPa	
Frequency	251.16	Hz	
Distortion	0.6	%	_
HF Noise	-52	dB re 124 dB	

 Note: This pistonphone was within manufacturer's specifications as received,

ODIN METROLOGY, INC.

CALIBRATION OF BRÜEL, & KJÆR INSTRUMENTS 3533 OLD CONEJO ROAD, SUITE 125 THOUSAND OAKS, CA 91320 PHONE: (805) 375-0830; FAX: (805) 375-0405

Note: This calibration report shall not be reproduced, except in full, without written consent of Odin Metrology, Inc.

Page 1 of 2

SILEILE SLEIKEILE ILEIKEILE SILEIKE SLEEKEEKEEKEEKEEKEEKEEKEEKEEKEE

```
* Calibration Report *
```

```
Calibration RMS: 1 Passed Peak:110.0 dB @ 02/20/2005 0:06
Calibration RMS: 2 Passed Peak:109.9 dB @ 02/20/2005 0:06
Calibration RMS: 3 Passed Peak:109.8 dB @ 02/20/2005 0:06
Calibration RMS: 4 Passed Peak:109.8 dB @ 02/20/2005 0:06
Calibration RMS: 5 Passed Peak:110.0 dB @ 02/20/2005 0:06
Calibration RMS: 6 Passed Peak:109.9 dB @ 02/20/2005 0:06
Calibration RMS: 7 Passed Peak:109.9 dB @ 02/20/2005 0:06
Calibration RMS: 9 Passed Peak:109.8 dB @ 02/20/2005 0:06
Calibration RMS:10 Passed Peak:109.9 dB @ 02/20/2005 0:06
Calibration RMS:11 Passed Peak:110.1 dB @ 02/20/2005 0:06
Calibration RMS:12 Passed Peak:110.0 dB @ 02/20/2005 0:06
Calibration RMS:13 Passed Peak:109.8 dB @ 02/20/2005 0:06
Calibration RMS:14 Passed Peak:109.9 dB @ 02/20/2005 0:06
Calibration RMS:15 Passed Peak:109.9 dB @ 02/20/2005 0:06
Calibration RMS:16 Passed Peak:109.6 dB @ 02/20/2005 0:06
Calibration RMS:17 Passed Peak:109.7 dB @ 02/20/2005 0:06
Calibration RMS:18 Passed Peak:109.8 dB @ 02/20/2005 0:06
```

Figure B-2. Typical Daily Electrical Calibration

TON

FJUN 15 2006